5/44

DART AEROSPACE LTD	Work Order:	24508
Description: 3" Outer Tube	Part Number:	D2600-1-160
Drawing: D2600 Rev. D1	Qty:	160

Step	Location	Procedure #	Ву	Date	Qty
1	DC	Issue Traveller	P	05.10.12	160
2	PG	Issue P/O: 2608805 a) Extrude as per Dwg D2600 b) Material: 6061-T6 (QQ-A-200/8) c) Minimum yield tensile strength = 35 ksi d) Minimum ultimate tensile strength = 40 ksi e) Minimum elongation = 8% f) Order at 160" long g) Bon L Canada Inc. tool # 897121 h) To be packed per DSK 066 i) Pull test to ASTM standard B221 required. j) Material certification is required	46	05/10/12	/60
3	RG	Inspect for transit damage Ensure certification are attached	CL	05/11/01	171
4	QC6	Inspect dimensions per Dwg D2600 Check Pull test per Dwg D2600 for compliance page attached. Check hardness with Webster tester	1	05.12.18	171
5	ST	Identify and Stock	2	05-12-15	171
6	AC	Cost / part	u	08-12-21	121
7	DC	Close W/O Inspect Level 21	7	05/12/21	171

Rev	Date	Change	Revised By	Approved
Α	99.09.15	New Issue, was D2600-1-150, changed to -160	EC	
В	00.05.08	Removed second pull test & tool #	EC	_
С	01.04.16	Removed second pull test & tool #	EC	
D	02.09.05	Added DSK 066	KJ KF	4



ž. 1

Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES						
DATE STEP		PROCEDURE CHANGE			Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector
							*	
	:							

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC		Corrective Action Section B		Verification	Annaval	Approval	
DATE	STEP	Section A	Initial Design Mgr	Action Description Design Mgr	Sign & Date	Section C	Approval Design Mgr	Approval QC Inspector	
				4					
					į				

NOTE: Date & initial all entries QA: N/C Closed: Date:	05/12/21



	DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA				
	CHECKED	APPROXED	DRAWING NO.	REV. D			
	KE	1 XA	D2600 SHEET	1 OF 5			
	DATE		TITLE	SCALE			
٠	98.08.20		EXTRUSION	1:1			
	Α	97.01.21	NEW ISSUE				
	В	97.09.09	CHANGE MATERIAL SPEC.				
	С	98.04.16	ADD D2600-3, UPDATE D2600-1 ADD DIE NO.	WIDTH,			
	D	98.08.20	INCREASE MIN. UTS TO 40 KSI				
	n.	01.04.17	ADD PART NUMBERS & DIE NUMBERS	4-0			



GENERAL NOTES

1. MATERIAL: 6061-T6 (QQ-A-200/8)

MINIMUM YIELD TENSILE STRENGTH = 35 ksi MINIMUM ULTIMATE TENSILE STRENGTH = 40 ksi MINIMUM ELONGATION = 8 %

A SAMPLE FROM EACH BATCH WILL BE PULL TESTED TO ASTM STANDARD B221 BY AN APPROVED TESTING FACILITY TO ENSURE THAT THE BATCH MEETS THE ABOVE MINIMUM MECHANICAL PROPERTIES.

- 2. BREAK ALL SHARP CORNERS 0.010 MAX.
- 3. NO TOOLING MARKS.
- 4. TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 5. ALL DIMENSIONS ARE IN INCHES.

SHOP COPE

ENDINCED !

UNCOLUTE SOPY


STATE OF THE SE

WORK ORDER NO. <u>24</u>508







DESIGN	DRAWN BY	DART AEROSE HAWKESBURY, ONTA	
CHECKED	APPROVED	DRAWING NO.	REV. D SHEET 2 OF 5
DATE	7	TITLE	SCALE
98.08.20		EXTRUSION	1:1
















DESIGN	DRAWN BY	DART AEROS HAWKESBURY, ON	
CHECKED LE	APPROVEO	DRAWING NO. D2600	REV. D SHEET 4 OF 5
DATE	1	TITLE	SCALE
98.08.20		EXTRUSION	1:1

RELEASED 98 8.25. bs



MANUFACTURED WITH CARADON INDALEX DIE # MS-18871 XXX IS CUT LENGTH IN INCHES DZ600-S-XXX WHERE Wumber 15

108" LONG

D2600-5-108

PART (F)

D2600-5

UNCONTROLLED COPY SUBJECT TO AMENDMENT

WITHOUT NOTICE WORK ORDER

NO. <u>2450</u>8


हर	THE PARTY OF THE P	
ŧ.		
	7 7	
(fin		
1		
: 1		
: 1		
1		
1	·	
d. St		
14		
ā. B		
į. P		
e. F		
1		
	A CONTRACTOR OF THE CONTRACTOR	





1	DESIGN	ORAWN AY	DART AERO	
y	CHECKED	APPROVED	DRAWING NO. D2600	REV. D SHEET 5 OF 5
	DATE	1//	TITLE	SCALE
	98.08.20		EXTRUSION	1:1

RELEASED 98.8.75 bs



Job Costing Report

Dart Aerospace Ltd.

Oct 11, 2005 07:41 am

Hawkesbury

Work Order No : 0024508

Project Name : D2600-1-160
Project For : WK544
Work Order Type : Main
Main WO Number : Department Code:
Burden Flags : NNNNNNN
WO Status : Open

House Part Number: D2600-1-160

Main WO Number : Invoice State : Not Invoiced Invoice Date : Description : Extrusion Round 3" 206 Invoice Number : Manufactured : Yes Invoice Amount: 0.00 Manufactured : Yes

Amount Req'd : 160

Amount Done : 0
Start Date : 10-08-05 Order Entry No : OE Value : 0.00

Est Finish Date : 11-05-05

Est Mark Up : 0.000% Actual Mark Up : 0.000% Act Finish Date : Drawings Reqd : No

Ok for Approval :

Approval Rec'd : \$0 Posted to Finished Goods

	Estimated	Actual	۷ar. %	Posted	To Post
Material Cost	: 0.00	 0.00	0.00	0.00	0.00
Engineering Hours		0.00	0.00	•	
Engineering Cost	: 0.00	0.00	0.00	0.00	0.00
Production Hours	: 0.00	0.00	0.00		
Production Cost	: 0.00	0.00	0.00	0.00	0.00
Packaging Hours	: 0.00	0.00	0.00		
Packaging Cost	: 0.00	0.00	0.00	0.00	0.00
OverHead Hours	: 0.00	0.00	0.00		
OverHead Cost	: 0.00	0.00	0.00	0.00	0.00
CNC Hours	: 0.00	0.00	0.00		
CNC	: 0.00	0.00	0.00	0.00	0.00
Misc. Hours	: 0.00	0.00	0.00		•
Misc.	: 0.00	0.00	0.00	0.00	0.00
	========	========	======		
Burden	: 0.00	0.00	0.00		
	========	=========	======		
Total Cost	: 0.00	0.00	0.00		
Mark un	• 0.000	0.000			

0.000 Mark up Selling Cost : 0.00 0.00

Estimated Actual Labour Hrs/Amount Done : 0.00 Profits/(Loss) : 0.00 0.00 0.00



CERTIFICATE OF COMPLIANCE.

2.

BON L CANADA INC

500 EDWARD AVENUE RICHMOND HILL, ON L4C 4Y9

Ì	Cert Date Cert No. Sales Order Page							
	10/28/05	129693	73065	1				
		B/I No	Lot	Date				
	2008805	00282779	73065010	10/28/05				

Sold To 46024

DART AEROSPACE LTD. 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7 DART AEROSPACE LTD. 1270 ABERDEEN ST. HAWKESBURY, ON

item No	Part No	Ite	m Description		Cust Part
1.000	DAA-897121	-1	160" Mill 6061 T6		D2600-1-160
Gross Weight	2639	LBS			
Net City	2,418	LB	171 PC	2280 FT	4 PKG

Shin To

Specification Die Desc AMS-QQ-A-200/8 & ASTM B221-00

Mechanical Tests: Test Tensile Yield Bend/ No. MPA / KSI MPA / KSI %Elongation Conductivity Drift HR-E 261.4 37.9 303.5 1/44.0 10.9 .0 91 91 310.4 /\45:0 283.5 / 10,.0 .0 Chemical Analysis: FE CU MG CR ZN OTHER

000 (0

.665 .240 .254 .028 .910 .054 .000 .079 .000 .009 .013 .000 This will certify that the material described herein has been inspected and tested in accordance with Bon L Canada's standard sampling and testing procedures or in accordance with the requirements of any specifications forming a part of the material description to the extent indicated herein. Data of chemical composition for the material and test results from samples representative of the material are set forth above hereof or in any attachments hereto. This information shows that the material meets the applicable requirements. Inspection and test records are maintained on file. This certificate shall be deemed apart of and subject to the terms and conditions of warranty set forth on the reverse side of our order acknowledgement form. No other warranties are applicable.

Paul Dailleboust, QA Manager Signed for Bon L Canada